



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,250	11/26/2003	Hun Jeoung	8733.947.00-US	6123
30827 7590 07/10/2007 MCKENNA LONG & ALDRIDGE LLP 1900 K STREET, NW WASHINGTON, DC 20006			EXAMINER NGUYEN, JIMMY H	
			ART UNIT 2629	PAPER NUMBER
			MAIL DATE 07/10/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/721,250	Applicant(s) JEOUNG ET AL.	
	Examiner Jimmy H. Nguyen	Art Unit 2629	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 27 April 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-5,7-11,13-18 and 20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-5,7-11,13-18 and 20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                        | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. This Office Action is made in response to applicants' amendment filed on 4/27/2007. Claims 1-5, 7-11, 13-18 and 20 are currently pending in the application. An action follows below:

#### ***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-5, 7 and 8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As to these claims, independent claim 1 recites the limitation "the data driver" in last two lines. There is insufficient antecedent basis for this limitation in the claim.

#### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-5, 7, 9-11, 13, 15, 16, 18 and 20 are rejected 35 U.S.C. 103(a) as being unpatentable over Applicants' Admitted Prior Art, hereinafter AAPA, and further in view of Maekawa et al. (US 5,764,207), hereinafter Maekawa.

As to claims 1, 2 and 9, the claimed invention reads on AAPA as follows: AAPA discloses a liquid crystal display (LCD) device (see Fig. 1) and an associate driving method (see Figs. 3-6), the LCD comprising an LCD panel (12; see Fig. 1) including a plurality of gate lines (GL1-GLn; see Fig. 1); a plurality of data lines (signal lines DL1-DLm; see Fig. 1) crossing the plurality of gate lines; and a plurality of liquid crystal cells (20; see Fig. 1) arranged at crossings of plurality of gate and data lines (see col. 5, lines 40-43); and a LCD panel driver (14, 16, 18; see Fig. 1) including a gate driver (14; see Fig. 1) sequentially driving gate lines (G) during the data apply period (DAP; see Figs. 3-5) and a data driver (16; see Fig. 1) applying effective pixel signals (see Figs. 3-4) to the plurality of data lines (DL) during the data apply period (DAP) and placing the data lines in floating state during a blanking period following the data apply period (see Figs. 3-4). AAPA does not expressly teach the data driver applying dummy pixel signals during the blanking period, as presently claimed.

However, Maekawa display a related LCD device (see Fig. 3) comprising a data driver (a driver including elements 13, inverters, NAND gates, switches HSW; see Fig. 3) applying effective pixel signals (actual video signals during actual video period; see waveform VSIG of Fig. 4) to the plurality of data lines during the data apply period (the actual video period; see Fig. 4) and dummy pixel signals representing a predetermined brightness level (signals with a predetermined potential level  $V_p$ ; see Fig. 4) to the data lines during the blanking period (see Fig. 4, waveform of VSIG during a blanking period; col. 6, lines 19-22). Maekawa further teaches that polarities of the dummy pixel signals and the effective pixel signals are invertable together by the data driver in order to cause its polarity to be coincided with the video signal reversed (see col. 2, lines 41-46; col. 6, lines 19-27), thereby performing a restriction of a

Art Unit: 2629

potential oscillation in the video line generated as the sampling rate of the video signal is increased (see col. 2, lines 17-21). Further, see Figs. 2 and 6 and the corresponding description. Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify the data driver of AAPA to provide the dummy pixel signal during the blanking period, in view of the teaching in the Maekawa reference, because this would perform a restriction of a potential oscillation in the video line generated as the sampling rate of the video signal is increased, as taught by the Maekawa reference (see col. 2, lines 17-21).

As to claim 3, AAPA teaches limitations of this claim (page 5, lines 4-16).

As to claim 4, Maekawa teaches the video signal (VID) including the effective pixel signal and dummy pixel signal) and provided from the timing controller (a signal driver 3; see Fig. 1). AAPA teaches the digital video signal provided from the timing controller (page 5, lines 4-16). Accordingly, AAPA in view of Maekawa discloses limitations of this claim.

As to claim 10, Maekawa discloses that after a fixed potential applied to all signal lines during D1-DN ON, all switches HSWs are in OFF condition, thereby rendering all signal lines being floated (see Fig. 6).

As to claims 15 and 16, since these claims similarly recite the limitations of claim 10, these claims are therefore rejected for the same reason set in claim 10.

As to claims 5, 7, 11, 13, 18 and 20, AAPA discloses limitations of these claims (see Figs. 3-5).

Art Unit: 2629

6. Claims 1-5, 7-11, 13-18 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over AAPA in view of Suzuki et al. (US 5,598,180), hereinafter Suzuki, and further in view of Maekawa.

As to claims 1, 2, 8, 9 and 14, the claimed invention reads on AAPA as follows: AAPA discloses a liquid crystal display (LCD) device (see Fig. 1) and an associate driving method (see Figs. 3-6), the LCD comprising an LCD panel (12; see Fig. 1) including a plurality of gate lines (GL1-GLn; see Fig. 1); a plurality of data lines (signal lines DL1-DLm; see Fig. 1) crossing the plurality of gate lines; and a plurality of liquid crystal cells (20; see Fig. 1) arranged at crossings of plurality of gate and data lines (see col. 5, lines 40-43); and a LCD panel driver (14, 16, 18; see Fig. 1) including a gate driver (14; see Fig. 1) sequentially driving gate lines (G) during the data apply period (DAP; see Figs. 3-5) and a data driver (16; see Fig. 1) applying effective pixel signals (see Figs. 3-4) to the plurality of data lines (DL) during the data apply period (DAP) and placing the data lines in floating state during a blanking period following the data apply period (see Figs. 3-4). AAPA does not expressly teach the data driver applying dummy pixel signals comprising a white signal during the blanking period, as presently claimed.

However, Suzuki discloses an active matrix LCD comprising a control circuit inputting white-level signal (i.e., the claimed dummy pixel signal) to signal-line drive IC circuit, which applies a white-level (predetermined brightness level) potential to each signal line during the blanking period, in order to ensure no image being displayed during the blanking period (see col. 8, lines 18-25). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify the data driver of AAPA to provide white dummy pixel signal during the blanking period, in view of the teaching in the Suzuki reference, because

Art Unit: 2629

this would ensure unwanted image being displayed during the blanking period, as taught by Suzuki, thereby improve the image quality.

Accordingly, AAPA in view of Suzuki discloses all limitations of these claims except that polarities of the dummy pixel signal applicable to adjacent ones of data lines of the plurality of data lines are invertable by the data driver during the blanking period.

However, Maekawa display a related LCD device (see Fig. 3) comprising a data driver (a driver including elements 13, inverters, NAND gates, switches HSW; see Fig. 3) applying effective pixel signals (actual video signals during actual video period; see waveform VSIG of Fig. 4) to the plurality of data lines during the data apply period (the actual video period; see Fig. 4) and dummy pixel signals representing a predetermined brightness level (signals with a predetermined potential level  $V_p$ ; see Fig. 4) to the data lines during the blanking period (see Fig. 4, waveform of VSIG during a blanking period; col. 6, lines 19-22). Maekawa further teaches that in order to carry out an AC driving (i.e., inversion driving method), **polarities of the dummy pixel signals and the effective pixel signals are invertable together** by the data driver in order to cause its polarity to be coincided with the video signal reversed (see col. 2, lines 41-46; col. 4, line 65 through col. 5, line 4; col. 6, lines 19-27), thereby performing a restriction of a potential oscillation in the video line generated as the sampling rate of the video signal is increased (see col. 2, lines 17-21). Furthermore, the LCD device of AAPA is driven by a dot-inversion driving method (see Figs. 3-5). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify the data driver of AAPA in view of Suzuki to invert the polarities of the dummy pixel signal applicable to adjacent ones of data lines of the plurality of data lines during the blanking period, in view of the teaching in

Art Unit: 2629

the Maekawa reference, because this would perform a restriction of a potential oscillation in the video line generated as the sampling rate of the video signal is increased, as taught by the Maekawa reference (see col. 2, lines 17-21).

As to claim 3, AAPA teaches limitations of this claim (page 5, lines 4-16).

As to claim 4, Maekawa teaches the video signal (VID) including the effective pixel signal and dummy pixel signal) and provided from the timing controller (a signal driver 3; see Fig. 1). AAPA teaches the digital video signal provided from the timing controller (page 5, lines 4-16). Accordingly, AAPA in view of Maekawa discloses limitations of this claim.

As to claim 10, Maekawa discloses that after a fixed potential applied to all signal lines during D1-DN ON, all switches HSWs are in OFF condition, thereby rendering all signal lines being floated (see Fig. 6).

As to claims 15 and 16, since these claims similarly recite the limitations of claim 10, these claims are therefore rejected for the same reason set in claim 10.

As to claims 5, 7, 11, 13, 18 and 20, AAPA discloses limitations of these claims (see Figs. 3-5).

As to claim 17, see the rejection to claims 8 and 14 above.

### ***Response to Arguments***

7. Applicant's arguments with respect to claims 1-5, 7-11, 13-18 and 20 have been considered but are moot in view of the new ground(s) of rejection.

### ***Conclusion***



Art Unit: 2629

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy H. Nguyen whose telephone number is 571-272-7675. The examiner can normally be reached on Monday - Thursday, 8:00 a.m. - 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached at 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 2629

system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'JH' followed by a stylized flourish.

JHN  
June 25, 2007

Jimmy H. Nguyen  
Primary Examiner  
Technology Division: 2629